



12VDC TO 48VDC PoE Jump Mode Voltage

(12VDC 轉 48VDC PoE 跳 Jump 升壓的操作模式)


Mode	Output Voltage (輸出電壓)	JP1	JP2	JP3	JP4	Remark 備註
Mode1	48V (30W)	O	S	S	1&2	802.3at Standard
Mode 2	12V	S	O	O	2&3	802.3at Passive
	24V	S	O	S	2&3	802.3at Passive
	36V	S	S	O	2&3	802.3at Passive
	48V (72W)	S	S	S	2&3	802.3at Passive



Note1: O-open, S-short (O-開路, S-短路)


Note2: Pin of 12V, 24V, 36V will be clipped before shipment. (出貨時 12V、24V、36V 會剪 PIN 針)

Mode 1—48VDC 30W, 802. 3at standard Jump(48VDC 變壓跳 Jump 操作說明)






Mode 2—12VDC 18W, 802.3at Passive Jump(12VDC 變壓跳 Jump 操作說明)




Mode 2—24VDC 36W, 802.3at Passive Jump (24VDC 變壓跳 Jump 操作說明)





Mode 2—36VDC 54W, 802.3at Passive Jump(36VDC 變壓跳 Jump 操作說明)



Mode 2—48VDC 72W, 802.3at Passive Jump(48VDC 變壓跳 Jump 操作說明)

